


**Koten**<sup>®</sup>

# PAPER BOX SOLUTIONS



## RUIAN KOTEN MACHINERY CO.,LTD.

- 📍 Room 803, Unit Two, No.2 Building, Ruixianggongguan,  
Ruixiang New Area, Ruian City, Wenzhou, Zhejiang, China
- ☎ 0086-577 66887790 / 65615260
- 📠 0086-577 65615260
- ✉ Master@cn-koten.com
- 🌐 www.cn-koten.com




RUIAN KOTEN MACHINERY CO.,LTD.




TRIANGLE BOX




FOUR CORNER BOX



TRAPEZOID-SHAPED BOX




HEX BOX




RED ENVELOPE BOX


# PAPER BOX SOLUTIONS




FRENCH FRIES BOX




EGG TART BOX



CHOCOLATE BOX




SANDWICH BOX



WINE BOX HOOK BOTTOM



CORRUGATED BOX




SELF-LOCK BOX




SECTOR SELF-LOCK BOTTOM BOX



COSMETIC BOX




ALIEN-SHAPED WINE BOX



ALIEN-SHAPED BOX



VARIOUS SHAPED BOXES



TOOTHPICK HOLDER

## DIE CUTTING /HOT STAMPING MACHINE

Manual Feeding Die Cutting Creasing Machine(Heavy Duty)

Manual Feeding Hot Stamping And Die Cutting Machine(Heavy Duty)

Fully Automatic Top Feeding Die Cutting Machine (Option Stripping)

Fully Automatic Bottom Feeding Die Cutting Machine (Option Stripping)

Roll Paper Die Cutting Creasing Machine

Automatic Hot Stamping Machine

Automatic Roll Paper Hot Stamping Machine

## PAPER STRIPPING MACHINE

Automatic Stripping Machine With Mechanical Hand Take Off Device

## FAST FOOD BOX MAKING MACHINE

Hamburger Fast Food Box Making Machine (Full Servo Control)

Automatic Intelligence Paper Lunch Box Forming Machine

Automatic Paper Pizza Box Folding Forming Machine

## WINDOW PATCHING MACHINE

Automatic V Cutter & Crease Window Patching Machine (With 10 Servo Motor Control)

High Speed Window Patching Machine (With 3 Servo Motor Control)

## FOLDING AND GLUING MACHINE

High-speed AB Gluer Machine (Multistation)

Auto High Speed Pre-fold & Lock Bottom Folder Gluer Machine

Automatic Cardboard Folding Gluing Machine

Automatic Corrugated Boxes Folding Gluing Machine

## Manual Feeding Die Cutting Creasing Machine (Heavy Duty)



MODEL	ML-750A	ML-930A	ML-1040A	ML-1100A	ML-1200A	ML-1300A	ML-1400A
INNER CHASE SIZE	750×520mm	930×670mm	1040×720mm	1100×800mm	1200×820mm	1300×920mm	1400×1000mm
MAX.RULE LANGTH	≤22m	≤38m	≤40m	≤45m	≤45m	≤48m	≤52m
SPEED	26±2times/min	23±2times/min	23±2times/min	20±2times/min	20±2times/min	16±2times/min	16±2times/min
MOTOR POWER	2.2KW-6H	4KW-6H	4KW-6H	5.5KW-6H	5.5KW-6H	5.5KW-6H	5.5KW-6H
MACHINE WEIGHT	2100kgs	3700kgs	4200kgs	4500kgs	4800kgs	6500kgs	7100kgs
OVERALL DIMENSIONS	L 1540mm	L 2050mm	L 2100mm	L 2100mm	L 2150mm	L 2350mm	L 2450mm
	W 1650mm	W 1600mm	W 1750mm	W 1950mm	W 2000mm	W 2100mm	W 2100mm
	H 1650mm	H 1700mm	H 1750mm	H 1750mm	H 1800mm	H 1700mm	H 1800mm

MODEL	ML-1500A	ML-1600A	ML-1800A	ML-2000A	ML-2200A	ML-2500A	ML-2800A
INNER CHASE SIZE	1500×1040mm	1600×1250mm	1800×1300mm	2000×1400mm	2200×1400mm	2500×1600mm	2800×1600mm
MAX.RULE LANGTH	≤55m	≤58m	≤65m	≤70m	≤75m	≤85m	≤90m
SPEED	16±2times/min	14±2times/min	14±2times/min	14±2times/min	14±2times/min	12±2times/min	12±2times/min
MOTOR POWER	5.5KW-6H	11KW-6H	11KW-6H	15KW-6H	15KW-6H	22KW-6H	30KW-6H
MACHINE WEIGHT	7800kgs	12300kgs	14300kgs	16300kgs	18300kgs	22300kgs	24400kgs
OVERALL DIMENSIONS	L 2550mm	L 2780mm	L 2980mm	L 3180mm	L 3380mm	L 3680mm	L 4000mm
	W 2100mm	W 2300mm	W 2300mm	W 2400mm	W 2400mm	W 2400mm	W 2400mm
	H 1800mm	H 2400mm	H 2400mm	H 2580mm	H 2580mm	H 2580mm	H 2580mm

## Manual Feeding Hot Stamping And Die Cutting Machine (Heavy Duty)



Automatic oilpump(optional)




Copper bushing  
Lubrication oil distributor



MODEL	TYMA-930CE	TYMA-750	TYMA-1040	TYMA-1100	TYMA-1200
MAX.DIE CUTTING SIZE	930×640mm	750×520mm	1040×720mm	1100×800mm	1200×820mm
MAX.FOIL STAMPING SIZE	930×640mm	740×510mm	1040×720mm	1100×800mm	1200×820mm
FOIL LENGTH	640mm	520mm	720mm	800mm	820mm
MOTOR POWER	4KW-6H	2.2KW-6H	4KW-6H	5.5KW-6H	5.5KW-6H
TOTAL POWER	16.5KW	10.2KW	16.5KW	20.5KW	20.5KW
MACHINE WEIGHT	4000kgs	2300kgs	4300kgs	5200kgs	5500kgs
SPEED	23±2	26±2	23±2	20±2	20±2
FOIL GROUPS	3	2	3	3	3
HEATING AREA	5	4	5	5	5
OVERALL DIMENSIONS	1900×2050×2150mm	1450×1900×1950mm	1800×1950×2150mm	2150×2150×2300mm	2150×2250×2300mm

## Fully Automatic Top Feeding Die Cutting Machine (Option Stripping)



MODEL	AEM-800	AEM-800Q (Stripping)	AEM-800J (Heating)	AEM-1080B	AEM-1080BQ (Stripping)	AEM-1080J (Heating)
MAX.PAPER SIZE	820×620mm	820×620mm	820×620mm	1080×780mm	1080×780mm	1080×780mm
MIN.PAPER SIZE	340×280mm	340×280mm	340×280mm	400×360mm	400×360mm	400×360mm
MAX.CUTTING SIZE	770×600mm	770×600mm	770×600mm	1075×770mm	1075×770mm	1075×770mm
FRAME SIZE	820×628mm	820×628mm	820×628mm	1100×790mm	1100×790mm	1100×790mm
CUTTING PLATE SIZE	826×628mm	826×628mm	826×628mm	1080×780mm	1080×780mm	1080×780mm
MIN GRIPPER NEEDLE SIZE	7mm	7mm	7mm	8mm	8mm	8mm
CUTTING PRECISION	≤±0.1mm	≤±0.1mm	≤±0.1mm	≤±0.1mm	≤±0.1mm	≤±0.1mm
MAX CUTTING PRESSURE	200T	200T	200T	350T	350T	350T
MAX CUTTING SPEED	7000S/H	7000S/H	7000S/H	7000S/H	7000S/H	7000S/H
PRE-STACKING HEIGHT	1150mm	1150mm	1150mm	1550mm	1550mm	1550mm
COLLECTION STACK HEIGHT	1000mm	1000mm	1000mm	1400mm	1400mm	1400mm
WHITE BOARD	0.1-2mm	0.1-2mm	0.1-2mm	0.1-2mm	0.1-2mm	0.1-2mm
CORRUGATED PAPER	<4mm	<4mm	<4mm	<4mm	<4mm	<4mm
MAIN MOTOR POWER	11KW	11KW	11KW	11KW	11KW	11KW
HEATING AREA POWER	/	/	16KW	/	/	24KW
TOTAL POWER	16.25KW	16.25KW	33.5KW	17.8KW	17.8KW	45KW
WEIGHT	9T	10T	9.2T	15.6T	17.6T	15.6T
DIMENSION[L(+Pre-stacking) ×W(+Platform)×H]	L 4350(+1360)mm W 1900(+1680)mm H 1880mm	L 5150(+1360)mm W 1900(+1680)mm H 1880mm	L 4350(+1360)mm W 1900(+1680)mm H 1880mm	L 4850(+1650)mm W 2100(+1600)mm H 2350mm	L 5880(+1650)mm W 2100(+1600)mm H 2350mm	L 4850(+1650)mm W 2100(+1600)mm H 2350mm


## Fully Automatic Bottom Feeding Die Cutting Machine (Option Stripping)




MODEL	AEMG-1300V	AEMG-1300VQ (Stripping)	AEMG-1500V	AEMG-1500VQ (Stripping)	AEMG-1650V	AEMG-1650VQ (Stripping)
MAX.PAPER SIZE	1320×980mm	1320×980mm	1500×1100mm	1500×1100mm	1670×1210mm	1670×1210mm
MIN.PAPER SIZE	470×370mm	470×370mm	470×440mm	470×440mm	520×460mm	520×460mm
MAX.CUTTING SIZE	1300×970mm	1300×970mm	1490×1090mm	1490×1090mm	1650×1200mm	1650×1200mm
FRAME SIZE	1330×992mm	1330×992mm	1540×1100mm	1540×1100mm	1660×1215mm	1660×1215mm
CUTTING PLATE SIZE	1320×982mm	1320×982mm	1500×1100mm	1500×1100mm	1680×1186mm	1680×1186mm
MIN GRIPPER NEEDLE SIZE	7mm	7mm	7mm	7mm	7mm	7mm
CUTTING PRECISION	≤±0.1mm	≤±0.1mm	≤±0.2mm	≤±0.2mm	≤±0.25mm	≤±0.25mm
MAX CUTTING PRESSURE	300T	300T	300T	300T	300T	300T
MAX CUTTING SPEED	5500S/H	5500S/H	4800S/H	4800S/H	4500S/H	4500S/H
PRE-STACKING HEIGHT	1400mm	1400mm	1300mm	1300mm	1500mm	1500mm
COLLECTION STACK HEIGHT	1200mm	1200mm	1200mm	1200mm	1300mm	1300mm
WHITE BOARD	0.2-2mm	0.2-2mm	0.25-2mm	0.25-2mm	0.3-2mm	0.3-2mm
CORRUGATED PAPER	<8mm	<8mm	<8mm	<8mm	<9mm	<9mm
MAIN MOTOR POWER	15KW	15KW	15KW	15KW	18.5KW	18.5KW
TOTAL POWER	22KW	22KW	22KW	22KW	25KW	25KW
WEIGHT	19T	19T	22.5T	24.5T	28T	31T
DIMENSION[L(+Pre-stacking) ×W(+Platform)×H]	L 5800(+1800)mm W 2850(+1900)mm H 2350mm	L 7050(+1800)mm W 2850(+1900)mm H 2350mm	L 6150(+2000)mm W 3100(+2200)mm H 2550mm	L 7550(+2000)mm W 3100(+2200)mm H 2550mm	L 7100(+2300)mm W 3300(+2300)mm H 2850mm	L 8650(+2300)mm W 3300(+2300)mm H 2850mm

# Roll Paper Die Cutting Creasing Machine

MODEL	PY-950	PY-1200	PY-1300	PY-1450
SPEED	150-210 times/min (Mechanical speed max 260 times)		100-180 times/min (Mechanical speed max 210 times)	
MAX CUTTING SIZE	950×540mm	1200×640mm	1300×750mm	1450×750mm
PRECISION	±0.20mm	±0.20mm	±0.20mm	±0.20mm
PAPER WIDTH	950-300mm	1200-300mm	1300-300mm	1450-300mm
MAX ROLL PAPER DIAMETER	1500mm ( shaftless unwinding:1600mm )			
SUITABLE MATERIAL	100-800gsm white cardboard,PE coated paper, Kraft paper.etc			
TOTAL POWER	18KW	20KW	20KW	22KW
POWER	380V 50HZ(other voltage can be customized)			
WORKING AIR SOURCE	0.3m³/min,0.5-0.7Mpa			
WEIGHT	7000KGS	9000KGS	10500KGS	13000KGS
OVERALL DIMENSION	4.35×2.1×1.85m	4.35×2.3×1.85m	4.55×2.4×1.85m	4.8×2.5×1.85m




# Automatic Hot Stamping Machine



MODEL	JX-55	JX-60	JX-78	JX-80
MAX.PAPER-FEEDING AREA	540×450mm	600×500mm	750×600mm	800×600mm
MIN.PAPER-FEEDING AREA	100×100mm	150×150mm	200×200mm	250×250mm
MAX.HOT STAMPING AREA	300×250mm	500×400mm	500×400mm	650×500mm
MAX.MECHANICAL SPEED	40times/min	35times/min	35times/min	30times/min
MAX.FEEDING PILE HEIGHT	420mm	450mm	600mm	650mm
PRECISION	0.15mm	0.15mm	0.15mm	0.15mm
WORKING VOLTAGE	220V	220V	380V	380V
TOTAL POWER	3.5KW	4KW	8KW	8KW
DIMENSION	1500×1200×1600mm	1800×1250×1800mm	2100×1300×2050mm	2100×1800×2050mm
TOTAL WEIGHT	700kgs	1000kgs	1580kgs	2400kgs
PRESSURE	1.5T	3T	8T	30T

# Automatic Roll Paper Hot Stamping Machine




MAX.PAPER WIDTH	800mm	MIN.SHEET WIDTH	300mm
MAX.SHEET STACKER HEIGHT	600mm	PRECISION	0.15mm
MAX.FOIL STAMPING SIZE	600×500mm(WxL)	WORKING VOLTAGE	380V
MAX.MECHANICAL SPEED	50times/min	TOTAL POWER	15KW
MAX.UNWINDING DIAMETER	800mm	DIMENSION	6000×1800×2100mm
MAX.REWINDING DIAMETER	800mm	TOTAL WEIGHT	3200kgs
MAX.FEEDING LENGTH	600mm	PRESSURE	28T



# Automatic Stripping Machine With Mechanical Hand Take Off Device



## PROCESS FLOW




MODEL	ZDCB-680	ZDCB-920	ZDCB-1080	ZDCB-1080D
MAX.STRIPPING AREA	680×450mm	920×650mm	1080×780mm	1080×780mm
MIN.STRIPPING AREA	450×320mm	450×320mm	450×320mm	450×320mm
MAX.STRIPPING FINISHED PRODUCT SIZE	220×220mm	320×280mm	420×450mm	420×650mm
MIN.STRIPPING FINISHED PRODUCT SIZE	30×30mm	30×30mm	30×30mm	30×30mm
STRIPPING HEIGHT	40-120mm	40-120mm	40-120mm	40-120mm
STRIPPING SPEED	15-20times/min	15-20times/min	15-20times/min	15-20times/min
MAIN POWER	2.5KW	4KW	4KW	4KW
VOLTAGE	380/50V/Hz	380/50V/Hz	380/50V/Hz	380/50V/Hz
WEIGHT	1.1T	1.6T	1.9T	2.3T


# Automatic V Cutter & Crease Window Patching Machine

(With 10 Servo Motor Control)


## WINDOW SAMPLE




General Box




Three Creasing Lines



Tissue Box




Double Windows

Horizontal Creasing  
+vertical Creasing

MODEL	TC-880A	TC-1080A
SUITABLE PAPER	200-1000gsm	200-1000gsm
SPEED	10000pcs/h	10000pcs/h
PAPER SIZE	Min.150(L) × 160(W)mm Max.780(L) × 880(W)mm	Min.150(L) × 220(W)mm Max.780(L) × 1080(W)mm
WINDOW SIZE	Min.30(L) × 50(W)mm Max.350(L) × 400(W)mm	Min.30(L) × 50(W)mm Max.350(L) × 450(W)mm
FILM THICKNESS	0.04-0.25mm	0.04-0.25mm
MACHINE POWER	12KW	14KW
MACHINE WEIGHT	2800kgs	3200kgs
MACHINE SIZE	6700(L)×1700(W)×1300(H)mm	6700(L)×2000(W)×1300(H)mm

\* High-speed mode for products up to 400mm in length



### Electrical Part

The whole machine adopts PLC program control. All kinds of electrical parts are from famous imported brand.



### Feeding Part

1. Use servo system and sensor system, Setting the paper length automatic.
2. Use good frictional belt with longer life.
3. Drawing out the paper from bottom, no-stop add papers.



### Gluing Part

1. Use sensor system, stop gluing when missing paper.
2. Use center-oriented device, can adjust the thickness of glue.
3. No stopping to adjust the position of glue.
4. Glue holder can be towed out, cleaning easy and corrosion resistant.



### Laminating

1. Use servo system and tension control system, No stopping to adjust the length of the film.
2. Automatic punching and creasing, excellent results.
3. Patented mechanical structure, No stopping to adjust the position of the film. The accuracy is  $\pm 0.5$ mm.




### Delivery Part

Sandwiching structure with independently adjustable speed to ensure perfect quality.


# High Speed Window Patching Machine

## (With 3 Servo Motor Control)


### WINDOW SAMPLE



Cake Box



General Box




Tissue Box



MODEL	TC-650	TC-880	TC-1080
SUITABLE PAPER	200 -1000gsm	200 -1000gsm	200 -1000gsm
SPEED	25000pcs/h	25000pcs/h	20000pcs/h
PAPER SIZE	Min.150(L) × 160(W)mm Max.600(L) × 650(W)mm	Min.150(L) × 160(W)mm Max.780(L) × 880(W)mm	Min.150(L) × 220(W)mm Max.780(L) × 1080(W)mm
WINDOW SIZE	Min.30(L) × 50(W)mm Max.300(L) × 350(W)mm	Min.30(L) × 50(W)mm Max.350(L) × 400(W)mm	Min.30(L) × 50(W)mm Max.350(L) × 450(W)mm
FILM THICKNESS	0.04-0.25mm	0.04-0.25mm	0.04-0.25mm
MACHINE POWER	6.4KW	7.4KW	8.4KW
MACHINE WEIGHT	1800kgs	2200kgs	2700kgs
MACHINE SIZE	L 4500mm W 1200mm H 1600mm	L 5000mm W 1200mm H 1600mm	L 5000mm W 1700mm H 1600mm

\* High-speed mode for products up to 400mm in length



#### Feeding Part

1. Use servo system and sensor system, Setting the paper length automatic.
2. Use good frictional belt with longer life.
3. Drawing out the paper from bottom, no-stop add papers.



#### Gluing Part

1. Use sensor system, stop gluing when missing paper.
2. Use center-oriented device, can adjust the thickness of glue.
3. No stopping to adjust the position of glue.
4. Glue holder can be towed out, cleaning easy and corrosion resistant.



#### Laminating

1. Use two sets of servo system, Guaranteed stability for high-speed operation, No stopping to adjust the length of the film.
2. Standard with cutting for tissue box function.
3. Patented mechanical structure, No stopping to adjust the position of the film. The accuracy is ±0.5mm.



#### Delivery Part

Sandwiching structure with independently adjustable speed to ensure perfect quality.




#### Electrical Part

The whole machine adopts PLC program control. All kinds of electrical parts are from famous imported brand.



# Hamburger Fast Food Box Making Machine

(Full Servo Control)



■ FULL SERVO DRIVING ■ UPWARD FEEDING



■ SPLIT TYPE BODY ■ REMOTE MONITOR ■ TAPE INSERTER COUNTING



MODEL	HB-800GS	HB-1200GS (Double Lines)
SPEED	80-200pcs/min	160-400pcs/min
SUITABLE MATERIAL	200-600gsm card paper, PE coated paper, kraft paper, corrugated paper (up to 1.5mm)	
PAPER SIZE	L: 100-450mm degree: 5°-40° W: 100-600mm H: 15-200mm (for special sizes can be customized)	
TOTAL POWER	5KW	6.25KW
POWER	380V 50HZ (other voltage can be customized)	
WEIGHT	2100KGS	2600KGS
DIMENSION	3600×1400×1700 mm	3600×1850×1700 mm
WORKING AIR SOURCE	0.2m <sup>3</sup> /min, 0.5-0.7Mpa	0.2m <sup>3</sup> /min, 0.5-0.7Mpa


# Automatic Intelligence Paper Lunch Box Forming Machine

## CHARACTERISTIC

It is the automatic paper product molding equipment, combination of pneumatic and mechanical action. It has the advantages of fast speed, simple operation, high efficiency and environmental protection automatic feeding, hot pressing, automatic counting and collection, mechanical action Program control and fault monitoring. This type of machine equips with hot air generating device, suitable for single PE coated paper, kraft paper, etc, for the production of single-piece disposable paper lunch boxes covered with lid, paper boxes, kraft paper boxes and other food paper packing box.



MODEL	FBJ-C
SPEED	30-45pieces/min (Actual production is subject to product size)
MAXIMUM PAPER SIZE	480×480mm
SUITABLE MATERIAL	200-400gsm (PE Coated paper)
TOTAL POWER	5KW
VOLTAGE	380V/50HZ (please inform us your power in advanced)
TOTAL WEIGHT	0.7T
OVERALL DIMENSION	1550(L)×1350(W)×1800(H) mm
AIR SOURCE REQUIREMENT	Air pressure 0.4-0.5 Mpa( Need to buy air compressor )
WORKING VOLUME	0.3-0.4m <sup>3</sup> /min




# Automatic Paper Pizza Box Forming Machine

## Cardboard Parameters

	FJH-220	FJH-330
A min	240mm	350mm
A max	540mm	700mm
B min	280mm	400mm
B max	600mm	850mm


## Cardboard A



## Carton Parameters

	FJH-220	FJH-330
W min	80mm	140mm
W max	180mm	300mm
L min	80mm	180mm
L max	220mm	350mm
H min	40mm	40mm
H max	80mm	80mm

## Cardboard B




MODEL	FJH-220/330
CORRUGATED PAPER	B/E/F-flute
CARDBOARD	250-650gsm
POWER	220V / 50Hz
MOTOR POWER	3.2KW
AIR PRESSURE	1.5m <sup>3</sup> / 0.7mpa
PRODUCTION SPEED	0-23Pcs/min
OVERALL DIMENSIONS	L 3800 × W 1600 × H 2500 mm
OVERALL WEIGHT	1700 kg




# High-speed AB Gluer Machine (Multistation)




	LY2300	LY2600	LY2900	LY3200	LY3500
MODEL	LY2300	LY2600	LY2900	LY3200	LY3500
MAX PAPER SIZE (SINGLE)	1100x1150mm	1300x1300mm	1450x1450mm	1600x1600mm	1750x1700mm
MIN PAPER SIZE (SINGLE)	350x200mm	350x200mm	350x200mm	400x300mm	400x300mm
MAX HEIGHT PAPER STACK	450mm	450mm	450mm	450mm	450mm
MAIN MOTOR POWER	2.2kw	2.2KW	2.2KW	2.2kw	2.2kw
TOTAL POWER	9kw	10KW	10KW	12kw	12kw
TOTAL WEIGHT	3.7T	4.2T	4.5T	6.5T	7T
DIMENSIONS	L 9200mm	L 9500mm	L 9900mm	L 10500mm	L 11000mm
	W 3100mm	W 3400mm	W 3700mm	W 4100mm	W 4500mm
	H 1400mm	H 1400mm	H 1400mm	H 1600mm	H 1600mm



# Auto High Speed Pre-fold & Lock Bottom Folder Gluer Machine




<b>MODEL</b>	SHH-600AK-J	SHH-800AK-J
<b>MAX. LINER SPEED</b>	280m/min	280m/min
<b>SUITABLE MATERIALS</b>	200-800gsm Cardboard	E/F Flute Corrugated Board
<b>WAY OFFOLDING IN REVERSE</b>	Fold 1 and fold 3 are 180° and 135°, Fold 2 and fold 4 are 180°	
<b>GLUE MATERIAL</b>	Water-base Cold Glue	Water-base Cold Glue
<b>ELECTRIC POWER</b>	3P 380V50HZ	3P 380V50HZ
<b>MAIN POWER</b>	7.5KW	7.5KW
<b>WEIGHT</b>	3.6T	3.8T
<b>OVER DIMENSION</b>	12.5x1.3x1.4m	12.5x1.5x1.4m



### CHARACTERISTICS

<b>MODEL</b>	SHH-600AK-J	SHH-800AK-J
<b>CARTON TYPE</b>	Cardboard	Cardboard E/F Flute Corrugated Board
<b>A+B+C+D</b>	200-550mm	200-750mm 200-750mm
<b>C+D MIN</b>	100mm	100mm 100mm
<b>D MIN</b>	25mm	25mm 25mm
<b>F MIN</b>	70mm	70mm 70mm
<b>G</b>	150-600mm	150-600mm 150-580mm
<b>H MIN</b>	25mm	25mm 25mm



### CHARACTERISTICS

<b>MODEL</b>	SHH-600AK-J	SHH-800AK-J
<b>CARTON TYPE</b>	Cardboard	Cardboard E/F Flute Corrugated Board
<b>A+B+C+D</b>	100-580mm	150-780mm 180-680mm
<b>C+D MIN</b>	50mm	70mm 90mm
<b>D MIN</b>	8mm	8mm 8mm
<b>F MIN</b>	50mm	50mm 50mm
<b>G</b>	70-700mm	70-700mm 150-580mm

# Automatic Cardboard Folding Gluing Machine



### Suitable Boxes And Size

<b>MODEL</b>	BH-850	BH-1100
<b>SUITABLE MATERIALS</b>	Cardboard 210-850gsm, E/F/N flute corrugated board	
<b>MAX SPEED</b>	400m/min	
<b>GLUE TYPE</b>	Cold glue / Hot glue	
<b>AIR SOURCE</b>	6bar, 10m³/h, 60L	
<b>INCHING SPEED</b>	30m/min	
<b>POWER SUPPLY</b>	380V, 50HZ	
<b>DIMENSION</b>	L 16500mm W 1700mm H 1900mm	L 16500mm W 1900mm H 1900mm
<b>WEIGHT</b>	8T	8.5T
<b>POWER</b>	25KW	29KW


#### Straight line box

<b>MODEL</b>	1100/850 Type
<b>A</b>	100-1100/48-850mm
<b>B</b>	60-1200/35-1000mm
<b>C</b>	8-300/8-200mm



#### Double side box

<b>MODEL</b>	1100/850 Type
<b>A</b>	100-1100/100-850mm
<b>B</b>	70-800/70-800mm
<b>C</b>	10-300/10-200mm



#### Bottom-lock box

<b>MODEL</b>	1100/850 Type
<b>A</b>	150-1050/150-800mm
<b>B</b>	60-1000/40-800mm
<b>C</b>	30-300/25-200mm




#### 4 Corner box

<b>MODEL</b>	1100/850 Type
<b>A</b>	180-950/140-770mm
<b>B</b>	80-800/60-500mm
<b>C</b>	25-150/20-120mm




#### 6 Corner box

<b>MODEL</b>	1100/850 Type
<b>A</b>	300-950/200-770mm
<b>B</b>	80-800/80-500mm
<b>C</b>	25-150/20-120mm



# Automatic Corrugated Boxes Folding Gluing Machine



## Suitable Boxes And Size

### Straight line box

	MODEL	MPC-1050	MPC-1250	MPC-1450	MPC-1650	MPC-1850
A		180-1100mm	180-1500mm	300-1500mm	300-1700mm	300-1900mm
B		70-1100mm	70-1100mm	800-1200mm	100-1200mm	100-1200mm
C		15-400mm	15-450mm	200-500mm	30-500mm	30-500mm

### Double side box

	MODEL	MPC-1050	MPC-1250	MPC-1450	MPC-1650	MPC-1850
A		200-1050mm	200-1250mm	300-1450mm	300-1650mm	300-1850mm
B		120-900mm	120-900mm	120-1200mm	120-1200mm	120-1200mm
C		20-200mm	20-200mm	20-200mm	20-250mm	20-270mm

### Bottom-lock box

	MODEL	MPC-1050	MPC-1250	MPC-1450	MPC-1650	MPC-1850
A		180-1000mm	180-1200mm	300-1400mm	300-1600mm	350-1800mm
B		70-1100mm	70-1100mm	800-1200mm	100-1200mm	100-1200mm
C		30-250mm	30-300mm	50-350mm	50-400mm	50-450mm

### 4 Corner box (Optional)

	MODEL	MPC-1050	MPC-1250	MPC-1450	MPC-1650	MPC-1850
A		180-950mm	180-1150mm	240-1300mm	300-1500mm	300-1700mm
B		80-800mm	80-800mm	80-1000mm	100-1000mm	100-1000mm
C		25-150mm	25-150mm	30-150mm	35-150mm	40-150mm

### 6 Corner box (Optional)

	MODEL	MPC-1050	MPC-1250	MPC-1450	MPC-1650	MPC-1850
A		300-950mm	300-1150mm	400-1400mm	500-1500mm	500-1700mm
B		80-800mm	110-800mm	150-1000mm	150-1000mm	150-1000mm
C		25-150mm	25-150mm	30-150mm	35-150mm	40-150mm



MODEL	MPC-1050	MPC-1250	MPC-1450	MPC-1650	MPC-1850
SUITABLE MATERIALS	Card board 210gsm-850gsm C.N.E.F./AB flute corrugated board				
MAX SPEED	260/300m/min				
POWER SUPPLY	380V, 50HZ				
DIMENSION	L 18500mm W 1800mm H 1900mm	L 18500mm W 2000mm H 1650mm	L 19500mm W 2200mm H 1650mm	L 19500mm W 2400mm H 1650mm	L 19500mm W 2600mm H 1650mm
WEIGHT	11T	12T	14T	15T	16T
POWER	21.5KW	21.5KW	29.5KW	29.5KW	29.5KW